


Suction cup B110 Nitrile-PVC, G3/8" female, clamp ring with mesh filter

Item number: B110.30.11NA



- Suitable for level adjustment. Several short bellows in one lifting device can handle objects with height differences and varying shapes, for example embossed or corrugated plates.
- The lifting movement can be used to separate small and thin objects.
- Only lightweight objects should be handled when the lifting force is parallel to the surface of the object, in order to achieve good precision and safe lifting movement.

Technical data

Description	Unit	Value
Suction cup shape	-	Bellows
Application	-	Dry sheet metal
Suction cup design	-	Round
Characteristics	-	Dry sheet metal
Material	-	Nitrile-PVC (NPV)
Weight, min.	oz	4.23
Suction cup model	-	B
Volume	in ³	18.92
Height	in	2.78
Outer diameter, min.	in	4.65
Outer diameter, actuated	in	5.079
Fitting size	-	3/8"
Fitting option	-	Filter mesh
Fitting style	-	Female
Fitting type	-	G-thread
Suction cup model	-	B110
Movement, vertical max.	in	1.36
Curve radius, min.	in	2.36

Performance - Lifting forces

B110	Vertical (lb)	Parallel (lb)
5.91 -inHg	30.80	
17.72 -inHg	77.11	
26.58 -inHg	103.64	

Accessories

11NB | Fitting 110, 3/8" NPSF female, with mesh filter
11NC | Fitting 110, G1/2" female, clamp ring with mesh filter
B110.37.W | Suction cup B110 HNBR with washer
B110.37 | Suction cup B110 HNBR
11UA | Fitting G1/2" female Al, with mesh filter
B110.20 | Suction cup B110 Silicone
B110.30 | Suction cup B110 Nitrile-PVC

Spare parts

11NA | Fitting 110 G3/8" female, clamp ring with mesh filter
B110.30 | Suction cup B110 Nitrile-PVC