

Suction cup B-BL40-2 Silicone, G1/2" male SS detectable, FCM

Item number: BBL40-2.DS40.G12MSS.00



Technical data

Description	Unit	Value
Suction cup shape	-	Multibellows
Application	-	Food contact materials (FDA & EU), detectable
Suction cup design	-	Round
Characteristics	-	Food contact materials (FDA & EU), detectable
Material	-	Silicone (SIL)
Load, torque, max.	lb ft	9.59
Weight, min.	oz	2.42
Suction cup model	-	B-BL
Volume	in ³	1.78
Height	in	1.77
Outer diameter, min.	in	1.67
Outer diameter, actuated	in	1.69
Fitting size	-	1/2"
Fitting option	-	None
Fitting style	-	Male
Fitting type	-	G-thread
Fitting material	-	ASTM 316L
Suction cup model	-	B-BL40-2 FCM, detectable
Movement, vertical max.	in	1.098
Curve radius, min.	in	0.62

Performance - Lifting forces


B-BL40-2 FCM, detectable	Vertical (lb)	Parallel (lb)
2.95 -inHg	1.89	0.94
5.91 -inHg	3.44	2.023
11.81 -inHg	5.78	4.36

Material	
Name	Silicone (SIL detectable FCM)
Color	Blue
Temperature, min. °F	-40.0
Temperature max. °F	392.0
Hardness °Shore A	40

Material resistance

Alcohol	Good
Concentrated acids	Poor
Ethanol	n/a
Hydrolysis	Fair
Methanol	n/a
Oil	Poor
Oxidation	Excellent
Gasoline	Poor
Wear resistance	Good
Weather and ozone	Excellent

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

- Room temperature (20°C [68°F] ± 3°C [5.5°F]).
- Standard atmosphere (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg]).
- Relative humidity 20-70%.
- Compressed air quality, DIN ISO 8573-1 class 4.

Accessories

- 01.21.660 | Retainer clip B-BL40-2, detectable
- 02.07.181 | Fitting G3/8" Male, SS, B-BL
- 02.07.182 | Fitting 3/8" NPT Male, SS, B-BL
- 02.07.183 | Fitting G1/2" Male, SS, B-BL
- 02.07.184 | Fitting 1/2" NPT Male, SS, B-BL
- 02.07.190 | Fitting G3/8" Male, composite, B-BL
- 02.07.191 | Fitting 3/8" NPT Male, composite, B-BL
- 02.07.192 | Fitting G1/2" Male, composite, B-BL
- 02.07.193 | Fitting 1/2" NPT Male, composite, B-BL

Spare parts

- BBL40-2.DS40 | Suction cup B-BL40-2 FDA, detectable, blue
- 02.07.183 | Fitting G1/2" Male, SS, B-BL