

# Datasheet

## Suction cup F75 Nitrile-PVC

Item number: F75.30



- Suitable for flat objects.
- Good stability and little inherent movement.
- Recommended when the lifting force is parallel to the surface of the object.
- Cleats prevent thin, sensitive objects from being deformed and gives extra friction when the lifting force is parallel.

### Technical data

Description	Unit	Value
Suction cup shape	-	Flat
Application	-	Dry sheet metal
Suction cup design	-	Round
Characteristics	-	Dry sheet metal
Material	-	Nitrile-PVC (NPV)
Weight, min.	oz	0.81
Suction cup model	-	F
Volume	in <sup>3</sup>	1.22
Height	in	0.51
Outer diameter, min.	in	3.031
Outer diameter, actuated	in	3.11
Fitting size	-	None
Fitting option	-	None
Fitting style	-	None
Fitting type	-	None
Suction cup model	-	F75
Movement, vertical max.	in	0.12
Curve radius, min.	in	5.91

### Performance - Lifting forces


F75	Vertical (lb)	Parallel (lb)
5.91 -inHg	17.98	13.49
17.72 -inHg	44.96	24.73
26.58 -inHg	60.70	31.47

<b>Material</b>	
Name	Nitrile-PVC (NPV)
Color	Black
Temperature, min.   °F	32.0
Temperature max.   °F	194.0
Hardness   °Shore A	50

#### Material resistance

Alcohol	Good
Concentrated acids	Fair
Ethanol	n/a
Hydrolysis	Good
Methanol	n/a
Oil	Excellent
Oxidation	Good
Gasoline	Excellent
Wear resistance	Excellent
Weather and ozone	Good

#### Dimensional drawings



#### Values specified in this data sheet are tested at (unless otherwise stated):

- Room temperature (20°C [68°F] ± 3°C [5.5°F]).
- Standard atmosphere (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg]).
- Relative humidity 20-70%.
- Compressed air quality, DIN ISO 8573-1 class 4.

## Accessories

07NA | Fitting 75, 1/8" NPSF female, clamp ring with mesh filter  
07ND | Fitting 75, G3/8" female, clamp ring with mesh filter  
07VD | Fitting 75, G3/8" female, with cone valve  
07NE | Fitting 75, 3/8" NPSF female, with mesh filter  
07NF | Fitting 75, G1/2" female, clamp ring with mesh filter  
07VF | Fitting 75, G1/2" female, with cone valve  
07UA | Fitting 1/8" NPSF female AI, with mesh filter  
07UD | Fitting G1/2" female AI, with mesh filter  
07UH | Fitting 1/4" NPT female AI, with mesh filter & 10-32 addl. conn.